



Fiber Optical Dome Closure

Order Information:



Item	HY-10-D24A
Seal Way	Mechanical s sealing
Dimension	190×295mm
Material	PC(Polycarbonate)
Cable Port	4 Ports
Diameter of cable	Φ17 (Max.)
Weight	1.8kgs
Splice Trays	12
Max. Capacity	Bunchy:6-48 cores; Ribbon:72cores
Core capacity per tray	12

Order Information:



Item	HY-10-D24B
Seal Way	Heat-shrinkable sealing
Dimension	190×310mm
Material	PC(Polycarbonate)
Cable Port	4 Ports
Diameter of cable	φ25 (Max.) φ7 (Min.)
Weight	1.8kgs
Splice Trays	12
Max. Capacity	Bunchy:6-48 cores; Ribbon:72cores
Core capacity per tray	12

Order Information:



Item	HY-10-D48A
Seal Way	Heat-shrinkable sealing
Dimension	140x410mm
Material	PC(Polycarbonate)
Cable Port	4 Ports
Diameter of cable	φ8-20mm
Capacity	48 core
Weight	2.5kgs
Splice Trays	12/24
Operation Temperature	-40℃~+55℃

www.hy-fiber.com

www.hy-fiber.com



www.hy-fiber.com



Order Information:

Item	HY-10-D48B
Seal Way	Mechanical sealing
Dimension	140x410mm
Material	PC(Polycarbonate)
Cable Port	4 Ports:2 inlets 2 outlets
Diameter of cable	Φ8-18mm
Weight	Approximately2.5kg
NO. of Splice Trays	1-4
Max. Capacity	96 cores
Core capacity per tray	12/24

Order Information:

Item	HY-10-D144A
Seal Way	Heat-shrinkable sealing
Dimension	230x450mm
Material	PP
Cable Port	5 Ports
Diameter of cable	φ8-36mm
Capacity	144 core
Weight	4.2kgs
Splice Trays	12/24
Operation Temperature	-40℃~+55℃

www.hy-fiber.com



Order Information:

Item	HY-10-D144B
Seal Way	Heat-shrinkable sealing
Dimension	240x480mm
Material	PC(Polycarbonate)
Cable Port	6 Ports
Diameter of cable	φ8-22mm
Capacity	144 core
Weight	3kgs
Splice Trays	12/24
Operation Temperature	-40℃~+55℃





www.hy-fiber.com

Order Information:

Item	HY-10-D 144 C
Seal Way	Heat-shrinkable sealing
Dimension	470X210mm
Material	PC(Polycarbonate)
Cable Entry Port	9 Port
Cable Diameter (Max.)	38mm
Weight	4.2kgs
Splice Trays	12/24
Max. Capacity	Bunchy:24-144cores; Ribbon:432cores



www.hy-fiber.com

Order Information:

Item	HY-10-D240
Seal Way	Heat-shrinkable sealing
Dimension	260x465mm
Material	ABS/PC
Cable Port	7 Ports
Diameter of cable	φ8-36mm
Capacity	240 core
Weight	5.45kgs
Splice Trays	12/24
Operation Temperature	-40℃ ~+55℃



Order Information:

Item	HY-10-D288
Seal Way	Heat-shrinkable sealing
Dimension	250x600mm
Material	PC
Cable Port	7 Ports
Diameter of cable	Φ4-40mm
Capacity	288 core
Weight	4kgs
Splice Trays	12/24
Operation Temperature	-40℃ ~+55℃